

Cleary School for the Deaf

301 Smithtown Boulevard, Nesconset, New York 11767-2077
www.clearyschool.org

631-588-0530 (V & TTY)
631-588-0016 FAX

September 2018

Dear Parents and Guardians:

New York State Education Law Section 409-H, effective July 1, 2001, requires all public and non-public elementary and secondary schools to provide written notification to all persons in parental relation, faculty and staff regarding the potential use of pesticides periodically throughout the school year.

The Cleary School for the Deaf is required to maintain a list of persons in parental relation, faculty and staff who wish to receive 48 hour prior written notification of certain pesticide applications. The following pesticide applications are not subject to prior notification requirements:

- A school remains unoccupied for a continuous 72 hours following an application
- Anti-microbial products
- Non-volatile rodenticides in tamper resistant bait stations in areas inaccessible to children
- Silica gels and other non-volatile ready to use pastes, foams or gels in areas inaccessible to children
- Boric acid and disodium octaborate tetrahydrate
- The application of EPA designated biopesticides
- The application of EPA designated exempt materials under 40CFR152.25
- The use of aerosol products with a directed spray in containers of 18 fluid ounces or less when used to protect individuals from an imminent threat from stinging and biting insects including venomous spiders, bees, wasps and hornets.

In the event of an emergency application to protect against an imminent threat to human health, a good faith effort will be made to supply written notification to those on the 48 hour prior notification list.


If you would like to receive 48 hour prior notification of pesticide applications that are scheduled to occur in your school, please complete the attached form and return to:

Cleary School for the Deaf, Pesticide Representative
301 Smithtown Boulevard
Nesconset, NY 11767

Please feel free to contact me for further information on these requirements.

Sincerely,

Jacqueline Simms, Ed.D
Executive Director



Cleary School for the Deaf

301 Smithtown Boulevard, Nesconset, New York 11767-2077
www.clearyschool.org

631-588-0530 (V & TTY)
631-588-0016 FAX

Pesticide Notification Request

Cleary School for the Deaf

I would like to receive notification 48 hours before the application of pesticides when application is required in my child's school.

Name _____

Date _____

Address _____

Phone Number _____

E-Mail Address _____

Name of Student _____

Signature _____

Please call the school with any other questions.

PRODUCT LIST

CLEARY 3336WP FUNGICIDE – EPA REG. #1001-63

AS PER LABEL OF UNDILUTED PRODUCT:

Active Ingredients: Dimethyl 4, 4-o-phenylenebis-(3,thioallophanate).....50%

CAUTION: KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT:

- **IF SWALLOWED:** Drink 1 or 2 glasses of water, induce vomiting by touching the back of the throat, contact a physician or poison control center.
- **IF INHALED:** Remove to fresh air
- **IF ON SKIN:** Wash exposed areas with soap and water, seek medical attention as needed.
- **IF IN EYES:** Flush eyes with water, contact a physician for irritation as needed.

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals:

Harmful if swallowed, inhaled or absorbed through the skin. May cause irritation of eyes, nose throat, and skin. Avoid breathing dust and contact with eyes and skin. Do not graze animals on treated turf. Do not feed clippings to livestock or poultry.

ENVIRONMENTAL HAZARDS: For terrestrial uses, do not apply directly to water, where surface water is present, or to intertidal areas below the mean high water mark. Application equipment should be thoroughly cleaned after use. Do not contaminate water when disposing of equipment washwater. Do not apply, allow to drift, or drain, or flush equipment onto non-target areas.

DAMOIL – EPA REG #19713-123

AS PER LABEL OF UNDILUTED PRODUCT:

Active Ingredient: Petroleum Oil

CAUTION: KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT:

- **IF SWALLOWED:** Do not induce vomiting. Call physician or Poison Control Center.
- **IF IN EYES:** Immediately flush eyes with plenty of water. Call a physician if irritation persists.
- **IF ON SKIN:** Immediately remove contaminated clothing, including shoes, and wash skin with soap and plenty of water. Call physician if irritation persists.

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals: **CAUTION:** harmful if swallowed. Avoid breathing of spray, contact with skin and eyes.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

PRODUCT LIST (Continued)

**MAUGET IMICIDE 2ML INSECTICIDE – EPA REG. #7946-16
SYSTEMIC TREATMENT BY MICRO INJECTION**

AS PER LABEL OF UNDILUTED PRODUCT:

Active Ingredients: Imidacloprid 1 (6-Chloro-3-pyridinyl)-N-nitro-2-idazolidinimine. 10.0%

Inert Ingredients:90.0%

CAUTION KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT:

- **IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available by administering syrup of ipecac. If person is unconscious, do not give anything by mouth and do not induce vomiting.
- **IF ON THE SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.
- **IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists.
- **NOTE TO PHYSICIAN:** No specific antidote is available. Treat the patient symptomatically.
- **IN CASE OF EMERGENCY:** 1-(800) 535-5053 is the telephone number of the Infotrac Chemical Emergency Response System

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.

CAUTION: Applicator must wear waterproof gloves and face shield when applying this product. Harmful-if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Causes eye irritation. Wash thoroughly with soap and water after handling. Avoid breathing vapors. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

FORAY 48B a/k/a “BT” – EPA REG #275-116

AS PER LABEL OF UNDILUTED PRODUCT:

Active Ingredient: Bacillus thuringiensis subsp. kurstaki. Lepidopteran Active Toxin. 2.1%

CAUTION: KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT:

- **IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.
- **IF IN EYES:** Flush with plenty of water. Call a physician if eye irritation persists.

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals: Causes moderate eye irritation. Avoid contact with skin, eyes, open wounds or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS: Do not contaminate water when disposing of equipment washwaters.

PRODUCT LIST (Continued)

K+NEEN – EPA REG. #70191-1

AS PER LABEL OF UNDILUTED PRODUCT:

Active Ingredient: Potassium salts of fatty acids....25.0%

CAUTION: KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT:

- **IF IN EYES:** Hold eyelids open and flush with steady stream of water for 15 minutes. Get medical attention.
- **IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals:

CAUTION: Harmful if inhaled. Causes moderate eye and skin irritation. Avoid contact with skin, eyes or clothing or breathing mist. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS: This product may be hazardous to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. This product is toxic to bees exposed to direct treatment. Do not apply where bees are actively visiting the treatment area.

SUNSPRAY 6E – EPA REG. #862-11

AS PER LABEL OF UNDILUTED PRODUCT:

Active Ingredient: Refined Petroleum Distillate.....98.8%

CAUTION: KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT:

- **IF SWALLOWED:** Do not induce vomiting. Call a physician immediately.
- **IF ON SKIN:** Wash with soap and water.
- **IF INHALED:** Move to fresh air.
- **IF IN EYES:** Flush with water.

PRECAUTIONARY STATEMENTS: Hazards to human and domestic animals: Avoid contact with eyes, skin and clothing. Harmful if swallowed. Avoid breathing of spray mist or vapors. Avoid contamination of food or foodstuffs.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

PRODUCT LIST (Continued)

ULTRAFINE OIL – EPA REG #862-23-499

AS PER LABEL OF UNDILUTED PRODUCT:

Active Ingredient: Paraffinic Oil

CAUTION: KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT:

- **IF SWALLOWED:** Do not induce vomiting. Call a physician immediately.
- **IF ON SKIN:** Wash with soap and water.
- **IF INHALED:** Move to fresh air.
- **IF IN EYES:** Flush with water.

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals. Avoid contact with eyes, skin and clothing. Harmful if swallowed. Avoid breathing of spray mist or vapors. Avoid contamination of feed or foodstuffs.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

COMPASS FUNGICIDE – EPA REG #100-920

AS PER LABEL OF UNDILUTED PRODUCT:

Active Ingredient: Trifloxystrobin (CAS #141517-21—7)..... 50.0%

CAUTION: KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT – FIRST AID:

- **IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists.
- **IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: If ingested, induce emesis or lavage stomach. Treat symptomatically.

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Prolonged or frequent repeated skin contact may cause allergic reactions in some individuals. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

PRODUCT LIST (Continued)

ORTHO HOME ORCHARD SPRAY – EPA REG #239-568

AS PER LABEL OF UNDILUTED PRODUCT:

Active Ingredients: * <u>CAPTAN</u> – Fungicide.....	14.0%
Related derivatives.....	0.3%
<u>MALATHION</u> – Insecticide 0.0-Dimethyl-phosphorodithioate of diethyl mercaptosuccinate.....	7.5%
** <u>METHOXYCHLOR</u> 1,1,1 trichloro-2,2-bis (p-methoxyphenyl) ethane.....	15.0%
Inert Ingredients:	62.5%
* N-trichloromethylthio-4-cyclohexene 1,2-dicarboximide	
** Equivalent to 13.2% 1,1,1-trichloro 2-2 bis (p-methoxyphenyl) ethane and 1.8% other isomers and related compounds.	

DANGER: KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT – FIRST AID:

- IF IN EYES: Hold eyelids open and flush with a steady stream of water and see a doctor.
- IF SWALLOWED: Give milk or water to drink and telephone for medical advise. Consult medical personnel before inducing vomiting. If medical advice cannot be obtained, then take person and product container to nearest medical emergency treatment center or hospital. **Note to Physicians: Emergency information call 1-800-454-2333.** Malathion is a cholinesterase inhibitor. If signs and symptoms of cholinesterase inhibition develop, atropine is antidotal. 2-PAM is also antidotal and may also be given in conjunction with atropine but should never be used alone.

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.

DANGER: Causes irreversible eye damage. Do not get in eyes or on clothing. Wear goggles when handling. Harmful if swallowed. May cause allergic skin reactions. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not clean equipment or dispose of equipment washwaters in a manner that will contaminate water resources. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product, or allow it to drift to blooming crops or weeds, if bees are visiting the treatment area.

GARLIC BARRIER AG+ - EPA REG. #66352-2

Active Ingredient: Garlic Juice....99.3%
No warnings or cautions.

PRODUCT LIST (Continued)

CARBARYL 4L INSECTICIDE – EPA REG #19713-49

AS PER LABEL OF UNDILUTED PRODUCT:

Active Ingredients: Carbaryl (1-naphthyl N-methylcarbamate).....43.0%
Other Ingredients:57.0%
Total:.....100.0%

CAUTION: KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT: Carbaryl is an N-methyl carbamate insecticide.

- **IF SWALLOWED:** Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing, drink 1 to 2 glasses of water and induce vomiting by touching back of throat with finger. Get medical attention.
- **IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists.
- **IF ON SKIN:** Wash thoroughly with soap and water.
- **IF INHALED:** Move from contaminated atmosphere and call a physician.

GENERAL: Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately and **SHOW A COPY OF THE LABEL TO THE PHYSICIAN.** If poisoning is suspected in animals, contact a veterinarian.

ANTIDOTE STATEMENT: Atropine sulfate is highly effective as an antidote. Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are **NOT** recommended. See "Note to Physician".

NOTE TO PHYSICIAN: Treat symptomatically. Overexposure to materials other than this product may have occurred. Carbaryl is an N-methyl carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible. Gastric lavage may be used if this product has been swallowed. Carbaryl poisoning may occur rapidly after ingestion and prompt removal of stomach contents is indicated.

Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent over atropinization. Improve tissue oxygenation as much as possible before administering atropine to minimize the risk of ventricular fibrillation. Mild cases may be given 1 to 2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg intravenously every 10 minutes until fully atropinized, then intramuscularly every 30 to 60 minutes as needed to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours. Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are **NOT** recommended. To aid in confirmation of a diagnosis, urine samples should be obtained within 24 hours of exposure and immediately frozen.

**DESCRIPTION OF AVAILABLE TREATMENTS AND
MATERIALS TO BE USED**

APRIL

DORMANT OIL - DREXEL DAMOIL EPA REG#19713123

To Control: Aphid, adelgid, scales, some mites & white flies.

APRIL, MAY, JUNE - FUNGICIDE SPRAY

CLEARY 3336 SYSTEMIC FUNGICIDE EPA REG #100163

To Control: Leaf scabs & rust on crabapple trees

ORTHO HOME ORCHARD EPA REG #239568

Multipurpose Spray

To Control: Many fruit insects & diseases

MAY & JUNE FOLIAGE SPRAY

FORAY 48-B BACILLUS THURINGIENSIS EPA REG #275-116

To Control: Tent caterpillar, cankerworms, gypsy moth & bagworm

OR ORTHENE ORNAMENTAL INSECTICIDE EPA REG #59639-26

To Control: Cankerworm, gypsy moth, vine weevil, aphids, & birch leaf miner

OR CARBARYL 4L INSECTICIDE EPA REG #19713-49

To Control: Cankerworm & gypsy moth caterpillars

JULY & AUGUST SPRAY AS NEEDED

DREXEL DAMOIL DORMANT AND SUMMER OIL EPA REG #19713123

OR ULTRA FINE OIL EPA REG #862-23-499

To Control: Aphids, adelgid, some mites & scales

OCTOBER

DREXEL DAMOIL DORMANT & SUMMER OIL EPA REG #19713123

To Control: Hemlock woolly adelgid

TREE INJECTION AS NEEDED

MAUGET IMICIDE EPA REG #7946-16

To Control: Bronze birch borer, scale insects, leaf miner, adelgid & aphids

PRODUCT LIST (Continued)

CARBARYL 4L INSECTICIDE – EPA REG #19713-49 (continued from page 6)

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.

CAUTION: Harmful if swallowed, absorbed through skin, inhaled or if in eyes. Avoid contact with eyes, skin or clothing. Keep out of reach of children and domestic animals.

OVEREXPOSITION MAY CAUSE: Salivation, watery eyes, pinpoint eye pupils, blurred vision, muscle tremors, difficult breathing, excessive sweating, abdominal cramps, nausea, vomiting, diarrhea, weakness, headache. **IN SEVERE CASES, CONVULSION, UNCONSCIOUSNESS AND RESPIRATORY FAILURE MAY OCCUR. SIGNS AND SYMPTOMS MAY OCCUR RAPIDLY FOLLOWING OVEREXPOSURE TO THIS PRODUCT.**

ENVIRONMENTAL HAZARDS: This product is extremely toxic to aquatic and estuarine invertebrates. For terrestrial uses, do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Discharge from rice fields may kill aquatic and estuarine invertebrates. Do not apply when weather conditions favor drift from area treated. Do not contaminate water by cleaning equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters.

**ORTHENE INSECTICIDE – TURF, TREE & ORNAMENTAL SPRAY –
EPA REG #59639-26**

AS PER LABEL OF UNDILUTED PRODUCT:

Active Ingredient: Acephate (O,S-Dimethyl acetylphosphoramidothioate).....75.0%
Inert Ingredients:25.0%

CAUTION: KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT:

Acephate is an organophosphate, cholinesterase inhibitor.

- **IF SWALLOWED:** Drink 1 or 2 glasses of water (or milk) and induce vomiting by touching the back of the throat with finger. If possible contact a physician, Poison Control Center, or emergency center before inducing vomiting. Do not induce vomiting or give anything by mouth to an unconscious person. Take person and product container to the nearest emergency treatment center.
- **IF IN EYES:** Wash eyes with fresh water for 15 minutes. If irritation continues, see a doctor.
- **IF ON SKIN:** Wash skin with plenty of soap and water.
- **IF INHALED:** Remove person from exposure area.

Note to Physicians: Emergency Information – call 1-800-892-0099. Acephate is a cholinesterase inhibitor. If signs of cholinesterase inhibition appear, atropine is antidotal. 2-PAM may also be used in conjunction with atropine but should not be used alone.

PRODUCT LIST (Continued)

**ORTHENE INSECTICIDE – TURF, TREE & ORNAMENTAL SPRAY –
EPA REG #59639-26 (continued from page 7)**


PRECAUTIONARY STATEMENT: Hazards to humans and domestic animals.

CAUTION: Harmful if swallowed. Causes eye irritation. Avoid contact with eyes, skin and clothing. Avoid breathing dust or spray mist. Wash hands thoroughly after handling. Do not allow children or pets to come into contact with treated areas until sprays have dried.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to birds. Applications may adversely affect birds in rangeland treatment areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Cover or soil-incorporate spills. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Talstar®

Termiticide/Insecticide



For Use by Individuals/Firms licensed by the State to apply termiticide and/or ornamental and lawn products. States may have more restrictive requirements regarding qualifications of persons using this product. Consult the pest control regulatory agency of your State prior to use of this product.

EPA Reg. No. 279-3206

Active Ingredient:

Bifenthrin* 7.9%

Other Ingredients: 92.1%

EPA Est. 279-

By Wt.

7.9%

92.1%

100.0%

Talstar contains 1/2 pound active ingredient per gallon.

*Cis isomers 97% minimum, trans isomers 3% maximum.
U.S. Patent No. 4,298,505

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

If on Skin: Wash with plenty of soap and water. Get medical attention.

If in Eyes: Flush with plenty of water. Call a physician if irritation persists.

Note to Physician:

This product is a pyrethroid. If large amounts have been ingested, the stomach and intestine should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided.

For Emergency Assistance Call (800) 331-3148

See other panels for additional precautionary information.



FMC Corporation
Agricultural Products Group
Philadelphia PA 19103

Net Contents

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals)

CAUTION
Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

All pesticide handlers (mixers, loaders and applicators) must wear long sleeved shirt and long pants, socks, shoes and chemical-resistant gloves. After the product is diluted in accordance with label directions for use, and/or when mixing and loading using a closed spray tank transfer system (such as U-Turn®), or an in-line injector system, shirt, pants, socks, shoes and waterproof gloves are sufficient. In addition, all pesticide handlers must wear a respiratory protection device when working in a non-ventilated space. All pesticide handlers must wear protective eyewear when working in non-ventilated space or when applying termiticide by rodding or sub-slab injection.

Use one of the following Mine Safety and Health Administration (MSHA) /National Institute for Occupational Safety and Health (NIOSH) air purifying respirator types with approval number prefixes such as: TC-22C, TC-21C, TC-19C, TC-13F and TC-14G.

When treating adjacent to an existing structure, the applicator must check the area to be treated, and immediately adjacent areas of the structure, for visible and accessible cracks and holes to prevent air leaks or significant exposures to persons occupying the structure. People present or residing in the structure during application must be advised to remove their pets and themselves from the structure if they see any signs of leakage. After application, the applicator is required to check for leaks. All leaks resulting in the deposition of termiticide in locations other than those prescribed on this label must be cleaned up prior to leaving the application site. Do not allow people or pets to contact contaminated areas or to reoccupy contaminated areas of the structure until the clean-up is completed.

Environmental Hazards

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. Care should be used when spraying to avoid fish and reptile pets in/around ornamental ponds.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow to drift to blooming crops if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply by air.

Do not apply in greenhouses, nurseries.

Do not apply this product through any kind of irrigation system.

Not for use on sod farm turf, golf course turf, or grass grown for seed



ABBOTT LABORATORIES

Foray® 48B

Biological Insecticide
Flowable Concentrate

ACTIVE INGREDIENT:

<i>Bacillus thuringiensis</i> subsp. <i>kurstaki</i> , Lepidopteran Active Toxin.....	2.1%
INERT INGREDIENTS	97.9%
TOTAL	100.0%

POTENCY: 10,600 International Units (IU)/mg of product (equivalent to 48 billion IU/Gal.).

Potency units should not be used to adjust use rates.

EPA Reg. No. 275-116

EPA Est. No. 33762-1A-1

List No. 60178

INDEX:

- 1.0 Statement of Practical Treatment
- 2.0 Precautionary Statements
 - 2.1 Hazard to Humans (and Domestic Animals)
 - 2.2 Personal Protective Equipment (PPE)
 - 2.3 User Safety Recommendations
 - 2.4 Environmental Hazards
- 3.0 Directions for Use
- 4.0 Storage and Disposal
- 5.0 Directions for Non-Agricultural Applications
- 6.0 Mixing
- 7.0 Application
- 8.0 Application Rates
- 9.0 Notice to User

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

1.0 STATEMENT OF PRACTICAL TREATMENT

If on Skin: Wash with plenty of soap and water. Get medical attention.

If in Eyes: Flush with plenty of water. Call a physician if eye irritation persists.

2.0 PRECAUTIONARY STATEMENTS

2.1 HAZARD TO HUMANS (AND DOMESTIC ANIMALS) CAUTION

Causes moderate eye irritation. Avoid contact with skin, eyes, open wounds or clothing. Wash thoroughly with soap and water after handling.

2.2 Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

2.3 User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

2.4 Environmental Hazards

Do not contaminate water when disposing of equipment washwaters.

3.0 DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

4.0 STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal of waste.

Storage: Store in a cool, dry place. Keep containers tightly closed when not in use. Store in temperatures above freezing and below 32°C (90°F).

Pesticide Disposal: Pesticide waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility in accordance with federal and local regulations.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

CONTINUED

Code 1743

Net Contents
0.125 oz.

FirstLine™

GT Termite Bait Station



Only for Sale to, Use and Storage by Professional Pest Control Operators in Commercial, Industrial, Institutional and Residential Areas.

EPA Reg. No. 279-3170

EPA Est. No.

Active Ingredient:	By Wt.
N-Ethyl perfluorooctanesulfonamide	0.01%
Inert Ingredients	99.99%
Total	100.00%

U.S. Patent No. 4,921,696 Other U.S. and Foreign Patents Pending

DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THE BAIT STATIONS

CAUTION

See other panels for additional precautionary information.

STATEMENT OF PRACTICAL TREATMENT

If on skin: Wash with plenty of soap and water. Get medical attention.

For Emergency Assistance Call: (800) 331-3148.

PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals)

Caution: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

TERMITE BAITS ARE PACKAGED IN CHILD RESISTANT CONTAINERS.



FMC Corporation
Agricultural Products Group
Philadelphia, PA 19103

698-C

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal

Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool dry place and avoid excess heat.

In case of spill, avoid contact, isolate area and keep out animal and unprotected persons. Confine spills. Call FMC: (800) 331-3148.

To confine spill: Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed on site or at an approved waste disposal facility.

Container Disposal

Wrap FirstLine™ GT Termite Bait Station and put in trash. Plastic bags: Completely empty bag. Then dispose of empty bag in sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Food Handling Establishments: Places other than private residence in which food is held, processed, prepared or served.

Non-Food/Feed Areas: Includes garbage rooms, lavatories, drains (to sewers), entries and vestibules, offices, locker room, machine rooms, garages, mop closets, and storage (after canning/bottling). Areas conducive to termite attack or through which termite may enter should be treated.

Food/Feed Areas: The FirstLine GT Termite Bait Station is not for use in commercial food/feed areas. Do not use in food/feed areas, food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. For indoor application in the home or similar areas, do not place FirstLine GT Termite Stations in an area where there is the possibility of contaminating or surfaces that come in contact with food. Not for use in USDA and Poultry Plants.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FirstLine GT Termite Bait Stations are ready to use and filled with treated cellulosic matrix containing 100 ppm sulfiramid, a slow acting insecticide. The use of this bait suppresses or controls termite infestations. The termite activity depends on the species involved, weather, moisture, and the time of year. Termites may require 1 to 4 months for control in and on commercial, industrial, institutional and dental buildings and structures, and their immediate surroundings. Permitted areas of use include but are not limited to industrial buildings, apartment buildings, laboratories, and the non-food/feed areas of stores, warehouses, schools, nursing homes, hospitals, restaurants, hotels, churches, food manufacturing, processing and service establishments. The bait is effective against: *Coptotermes*, *Heterotermes* and *Reticulitermes* termites.

For Structures With an Active Infestation

For use in and around residential, daycare and pre-school structures apply up to 60 FirstLine™ GT Termite Bait Stations per unit.

A unit is a single family dwelling (Single home or Townhouse garage, whether attached or detached is considered part of a private residence).

For use in and around commercial, industrial and institutional structures (except daycare or pre-school structures) use as many FirstLine GT Termite Bait Stations as needed.

**INNOVATIVE
TERMITE AND PEST CONTROL
P. O. BOX 2763
LAKE RONKONKOMA, NY 11779
(516) 471-2822**

NYS 08458

C1-671831


GUARANTEE

THIS CERTIFICATE DOES HEREBY CERTIFY THAT THE PREMISES MENTIONED BELOW HAVE BEEN TERMITE PROOFED IN ACCORDANCE WITH OUR SPECIFICATIONS, AND THAT IF TERMITES REINFEST SAID AREA AT ANY TIME DURING THE PERIOD OF GUARANTEE **(ONE YEAR)** FROM THE DATE HEREOF AND NOTICE OF SUCH CONDITION BE GIVEN TO THE UNDERSIGNED IN WRITING, THEN THE UNDERSIGNED, **INNOVATIVE TERMITE AND PEST CONTROL** WILL RENDER ALL RE-TREATMENTS THEREIN NECESSARY IN ITS OPINION WITHOUT ADDITIONAL CHARGE.

THIS GUARANTEE CONSTITUTES THE ENTIRE AGREEMENT BETWEEN THE PARTIES HEREIN MENTIONED. THIS GUARANTEE SHALL RUN IN FAVOR TO THE PARTY TO WHOM IT IS ISSUED AND IS ASSIGNABLE TO A NEW OWNER.

ISSUED TO: Cleary School
PREMISES: 301 Smithtown Blvd.
Nesconset, NY 11767

INNOVATIVE TERMITE & PEST CONTROL



DATE: November 21, 2000

CAUTION: IT HAS BEEN OUR EXPERIENCE THAT WHEREVER CORRECTIVE TERMITE WORK HAS BEEN DONE, THERE IS VARYING DEGREES OF CONCEALED DAMAGE THAT WE CANNOT DETECT WITHOUT DISMANTLING THE BUILDING. INASMUCH AS WE CANNOT SEE THIS CONCEALED DAMAGE, WE CAN MAKE NO REPRESENTATION NOR ASSUME ANY RESPONSIBILITY AS TO ITS EXISTENCE OR ITS EXTENT.